

**TAGA**<sup>®</sup>  
HARMONY

## PLATINUM SE series

Super performance beyond expectations!



Platinum F-100 SE v.2

The award-winning and highly acclaimed Platinum v.2 series is the progenitor of our flagship Special Edition SE series. But the similarities between the SE series and the Platinum series are only the shapes of the enclosures. The High class finishes, all components and technology are totally new or deeply revised.

The Platinum SE showcases all the qualities of dedication and love of music, groundbreaking developments in speaker design and technology which have inspired TAGA designers and engineers.

The **TLIE (Taga Low Interference Enclosure)** enclosures in a beautiful natural rosewood wood veneer with a choice of clear gloss or clear matt piano lacquer finishes, or in high class real piano (deep black and snowy white) are extremely rigid. The floorstanding models sit on a new high-end, beautiful plinth. The bassreflex ports and **TTP (Taga Top Plate)** are rubber coated for more luxurious look and to provide even better effect on sound performance. The high-end binding posts, top class crossovers and dedicated internal wiring are used for more natural sound.



### Platinum F-100 SE v.2 & Platinum B-40 SE v.2

The handcrafted TLIE enclosure is now even more rigid and neutral to vibrations and colorization – thanks to increased MDF walls thickness from 15mm to 18mm.

New configuration of the drivers: the tweeter is positioned closer to the midrange and bass/midrange than in the previous versions to provide even better smoothness between high and mid frequencies. The bass drivers in the Platinum F-100 SE v.2 were moved a little up in order to change bass definition and its dispersion.

The dramatically upgraded crossover to meet new refinements and configuration of the drivers: more delicate and rich treble, better defined midranges and more dynamic bass.

Supplied with the Platinum F-100 SE v.2 extra aluminum spike supports provide extra stability for the speakers and protect the floor from being scratched.

### Platinum F-100 SE v.2 & Platinum B-40 SE v.2

The 3rd generation **TPTTD-II (Taga Pure Titanium Tweeter Dome)** tweeter utilizes a differently shaped and lighter titanium cone – it allows faster, more accurate movement of the dome reflecting in more detailed and airy sound.

The 3rd generation **TPACD-II (Taga Pure Aluminum Cone Driver)** midrange - new adjustments and refinements along with revised double-magnet structure provide even higher power handling and more rich, spacious and sweet mids.

The 2nd generation **TWCD-I (Taga Woolen Cone Driver)** bass and bass / midrange drivers with different composition of cone materials - the cone is lighter so can move faster generating better defined, more dynamic and faster bass performance. Redesigned voice coil utilizing thicker and purer flat wire offers even higher power handling and longer operation time.



The revised 2nd generation **TPTTD-I** now uses neodymium magnet for a higher efficiency and more precise and extended high frequency response. The totally new **TPAF (Taga Pure Aluminium Faceplate)** helps further dispersion of high-frequencies.



The upgraded **TPACD-I** midrange utilizes bigger magnet structure to support more realistic soundfield. Center speaker has a 3-way design with new 3" **TPACD** driver.



The **TWCD** bass or bass / midrange delivers extremely deep, articulate bass with superior timing and pitch.

	Platinum F-100 SE v.2	Platinum F-60 SE	Platinum B-40 SE v.2	Platinum C-40PR SE	Platinum S-40 SE
<b>Speaker Type</b>	Floorstanding	Floorstanding	Bookshelf	Center	Surround / Bookshelf
<b>Drivers Configuration</b>	Tweeter 25mm (1") TPTTD-II, TPAF, TTP  Midrange 133mm (5.25"), TPACD-II  Bass 2 x 165mm (6.5") TWCD-I	Tweeter 25mm (1") TPTTD-I, TPAF, TTP  Midrange 133mm (5.25"), TPACD-I  Bass 165mm (6.5") TWCD	Tweeter 25mm (1") TPTTD-II, TPAF, TTP  Bass / Midrange 165mm (6.5"), TWCD-I	Tweeter 25mm (1") TPTTD-I, TPAF, TTP  Midrange 78mm (3"), TPACD-I  Bass 2 x 133mm (5.25") TWCD	Tweeter 25mm (1") TPTTD-I, TPAF, TTP  Bass / Midrange 133mm (5.25"), TWCD
<b>Recommended Amplifier Power</b>	20 - 280W	20 - 240W	20 - 160W	20 - 180W	20 - 140W
<b>Sensitivity</b>	92dB	90dB	90dB	89dB	88dB
<b>Crossover Points</b>	700Hz, 2.5kHz	250Hz, 4kHz	2kHz	800Hz, 4kHz	4.5kHz
<b>Impedance</b>	4ohm	4ohm	4ohm	4ohm	4ohm
<b>Frequency Response</b>	28Hz - 40kHz	33Hz - 40kHz	36Hz - 40kHz	36Hz - 40kHz	40Hz - 40kHz
<b>Dimensions (H x W x D)</b>	108.9 x 25 x 34 cm	96.6 x 25 x 34 cm	41 x 21.9 x 27 cm	21 x 60 x 19 cm	35 x 23 x 24.2 cm
<b>Net Weight</b>	53.3 kg / pair	41.6 kg / pair	16.9 kg / pair	8.3 kg / pc	13.2 kg / pair
<b>Finishes</b>	Real wood veneer colors: Rosewood veneer with clear gloss piano lacquer, Rosewood veneer with clear matt piano lacquer Paint colors: Piano black, Piano white				

Floorstanding models: The height excluding spikes and including a base. The weight including a base.



Platinum F-100 SE



Platinum B-40 SE v.2



Platinum S-40 SE



Platinum C-40PR SE



Platinum B-40 SE v.2



Platinum B-40 SE v.2

**TAGA**<sup>®</sup>  
HARMONY

## PLATINUM v.3 series

Born in Europe - Crafted for the World!



Platinum B-40 v.3

„Born in Europe - Crafted for the World” slogan is a very serious commitment and we treat it that way. That is why all of us at TAGA Harmony were engaged in creating this series - we focused mostly on intensive listening tests and sound adjustments rather than on creating perfect specifications on paper because music and generally sound is about feelings and passion.

It is not easy to write about the sound performance as it is difficult to write about emotions. But if we are to say a few words about the Platinum v.3 character it would be: deep, perfectly controlled and defined bass, smooth and rich midrange and appealing, detailed and crystal clear highs as well as very open and airy soundstage.



**Ogrodnik crossover** sections are specially and personally designed and engineered by well recognized Polish loudspeaker designer and audio press reviewer Mr. Arek Ogrodnik. They ensure the best neutrality and are able to handle massive amounts of power and to provide great precision.



**Internal wiring** custom designed and built by XLO, one of the best audio cables manufacturer in the World. Oxygen Free Copper XLO internal wiring is used for connecting all drivers with crossovers and to ensure that the incoming signal will not lose the most important details on the path from the amplifier to the drivers.



**Aluminum diecast feet and spikes** in all floorstanding models. The feet are exceptionally rigid and thick providing almost perfect isolation of speakers from the floor and increasing the transparency of sound and to produce better definition and control for the bass.



**Magnetically mountable grills** help to keep more sleek appearance of front panels and new drivers as well as to lower distortions when the grill is taken off.

The 2nd generation **TPTTD-I (Taga Pure Titanium Tweeter Dome)** tweeter utilizes new differently shaped and lighter titanium dome as well as an addition of a copper ring on the T-yoke to increase and widen SPL and at the same time lower distortions and to provide faster and more accurate movement of the dome reflecting in more detailed and airy sound.

The 2nd generation **TWG-I (Taga WaveGuide)** tweeter faceplate with redesigned shape and depth to allow better flow of sound stream and wider dispersion and to build a more three-dimensional and natural soundstage.

The 2nd generation midrange, bass / midrange and bass **TPACD-I drivers (Taga Pure Aluminum Cone Drivers)** with **TRCS** utilize:

- Differently shaped and lighter aluminum cones allow faster, more accurate movement reflecting in more detailed and airy sound.
- New flat pure aluminum dust cap increases air flow and smoothens the frequency response.
- New heavy duty motor structure and flat wire copper voice coils offer higher power handling and longer operation time without increased temperature and generating better and more dynamic sound performance.

**TRCS (Taga Reversed Cone Surround)** provides more stable, faster and greater range of cone movement reflecting in higher dynamics and more precise and neutral sound.



Platinum F-120 v.3




MONO STEREO



BEST BUY



Taga Platinum v.2 F-120  
sehr gut



Preistipp  
Taga Platinum v.2 F-120



Hifi Pig

RECOMMENDED



2017-2018 AV TOP 100!  
Best Buy Award 优秀器材推荐榜



Platinum B-40 v.3

	Platinum F-120 v.3	Platinum F-100 v.3	Platinum B-40 v.3	Platinum C-100 v.3	Platinum S-100 v.3
<b>Speaker Type</b>	Floorstanding	Floorstanding	Bookshelf	Center	Surround
<b>Drivers Configuration</b>	Tweeter 25 mm (1") TPTTD-I, TWG-I faceplate, TTP  Midrange 133 mm (5.25") TPACD-I, TRCS  Bass 2 x 165mm (6.5") TPACD-I, TRCS	Tweeter 25 mm (1") TPTTD-I, TWG-I faceplate, TTP  Midrange 133 mm (5.25") TPACD-I, TRCS  Bass 2 x 165 mm (6.5") TPACD-I, TRCS	Tweeter 25 mm (1") TPTTD-I, TWG-I faceplate, TTP   Bass / Midrange 165 mm (6.5") TPACD-I, TRCS	Tweeter 25 mm (1") TPTTD-I, TWG-I   Bass/Midrange 4 x 133 mm (5.25") TPACD-I, TRCS	Tweeter 2 x 25 mm (1") TPTTD-I, TWG-I   Bass / Midrange 2 x 133 mm (5.25") TPACD-I, TRCS
<b>Recommended Amplifier Power</b>	20 - 280W	20 - 250W	20 - 150W	20 - 200W	20 - 180W
<b>Sensitivity</b>	93dB	92dB	89dB	90dB	88dB
<b>Impedance</b>	4ohm	4ohm	6ohm	6ohm	6ohm
<b>Frequency Response</b>	28Hz - 40kHz	30Hz - 40kHz	38Hz - 40kHz	38Hz - 40kHz	38Hz - 40kHz
<b>Dimensions (H x W x D)</b>	118.2 x 25 x 34 cm	110.2 x 25 x 34 cm	41 x 25 x 27.2 cm	16.5 x 89 x 10 cm	28 x 28.3 x 17.2 cm
<b>Net Weight</b>	46.6 kg / pair	38.2 kg / pair	15.6 kg / pair	8 kg / pc	10 kg / pair
<b>Finishes</b>	Vinyl colors: Black, Modern wenge, Oak, Walnut				

The dimensions and weights: Floorstanding models: including the grill, feet and spikes. Other models: including the grill.



Platinum F-120 v.3



Platinum F-100 v.3

	Platinum IW-100 LRCS	Platinum SW-10 v.3
<b>Speaker Type</b>	In-wall LRCS	Active subwoofer
<b>Drivers Configuration</b>	Tweeter 25 mm (1") TPTTD-I, TWG-I  Midrange 133 mm (5.25") TPACD-I, TRCS  Bass 2 x 165 mm (6.5") TPACD-I, TRCS	Bass 255 mm (10") THAW, TSAC
<b>Recommended Amplifier Power</b>	20 - 200W	Built-in amplifier: 200W RMS, 750W Peak Class A/B, THCA
<b>Sensitivity</b>	92dB	
<b>Impedance</b>	4ohm	4ohm
<b>Frequency Response</b>	39Hz - 40kHz	20Hz - 200Hz
<b>Dimensions (H x W x D)</b>	77 x 31 x 12.5 cm (front panel with grill) 74 x 28 x 11.2 cm (front panel without grill) 71.6 x 25.6 x 11 cm (dimensions in the wall)	43 x 35 x 41 cm (incl. grill & feet)
<b>Net Weight</b>	13 kg / pc	23.6 kg / pc
<b>Finishes</b>	Paint colors: Matt black	Vinyl colors: Black, Modern wenge, Oak, Walnut, White



Platinum SW-10 v.3



Platinum S-100 v.3



Platinum IW-100 LRCS



Platinum C-100 v.3

**TAGA**<sup>®</sup>  
HARMONY

## PLATINUM SLIM series

Honey, I shrunk the Platinum!



Platinum F-90 SL

You love the excellent sound of our award-winning and highly acclaimed Platinum series but your spouse would be furious seeing big boxes in your living room. Here comes the solution! The solution means no substitutions or compromises were used but just like in an old good movie: the Platinum series has just been shrunk to more compact, appealing SLIM version.

# Platinum One

The **Platinum ONE** - our designers and engineers paid special attention to this project - the difficult goal was to design this small Beauty giving it very powerful and jaw-dropping sound performance. It took more than six months of hard work and repeated tests and adjustments after the final and satisfactory result has been achieved.

So here it goes: we are proudly presenting the Platinum ONE: **Small in Size - Big in Heart!**

This premium speaker is a great choice for shelf or stand mounting for demanding stereo and home theaters systems.

The Platinum ONE beautiful and rounded little vented cabinet is made of very dense MDF material to ensure exceptional rigidity and limit distortion and vibrations.

The award-winning and highly acclaimed **TPTTD (Taga Pure Titanium Dome) tweeter** utilizing **TWG (Taga Waveguide) and TTP (Taga Top Plate)** was upgraded for even more spacious, crystal clear and rich highs and to achieve higher volumes.



The upgraded 4" bass / midrange driver with **TPAIC (Taga Pure Aluminum Injection-molded Chassis)** utilizing oversized double magnet structure, **TAVS (Taga Air Ventilation System)** and a long-throw paper cone with pure aluminum dust cap ensures deeper bass and wonderfully spacious and rich midrange.





Platinum F-60 SL



Platinum ONE



Platinum S-90 SL

	Platinum F-90 SL	Platinum F-60 SL	Platinum LCR-60 SL
<b>Speaker Type</b>	Floorstanding	Floorstanding	Left / Center / Right
<b>Drivers Configuration</b>	Tweeter 25 mm (1") TPTTD, TWG, TTP  Midrange 133 mm (5.25"), TPACD  Bass 3 x 133 mm (5.25") 2 x TPACD, 1 x TPAPR	Tweeter 25 mm (1") TPTTD, TWG, TTP  Bass / Midrange 4 x 102 mm (4"), TPACD	Tweeter 25 mm (1") TPTTD, TWG  Bass / Midrange 4 x 102 mm (4"), TPACD
<b>Recommended Amplifier Power</b>	20 - 240W	20 - 150W	20 - 150W
<b>Sensitivity</b>	91dB	90dB	89dB
<b>Impedance</b>	6ohm	6ohm	6ohm
<b>Frequency Response</b>	31Hz - 40kHz	35Hz - 40kHz	39Hz - 40kHz
<b>Dimensions (H x W x D)</b>	103.5 x 17 x 24.5 cm	98.5 x 15.5 x 23.7 cm	13.5 x 76 x 11 cm
<b>Net Weight</b>	32.6 kg / pair	26.4 kg / pair	8.5 kg / pc
<b>Finishes</b>	Paint colors: High gloss black, High gloss white, Matt black Vinyl colors: Black, Walnut, Wenge		

Floorstanding models: The height excluding spikes and including a base. The weight including a base.



Platinum LCR-60 SL



Platinum C-90 SL

	Platinum ONE	Platinum C-90 SL	Platinum S-90 SL
<b>Speaker Type</b>	Bookshelf	Center	Surround
<b>Drivers Configuration</b>	Tweeter 25 mm (1") TPTTD, TWG, TTP  Bass / Midrange 102 mm (4"), TPAIC, TAVS	Tweeter 25 mm (1") TPTTD, TWG, TTP  Bass / Midrange 2 x 133 mm (5.25"), TPACD	Tweeter 25 mm (1") TPTTD, TWG, TTP  Bass / Midrang 133 mm (5.25"), TPACD
<b>Recommended Amplifier Power</b>	20 - 100W	20 - 120W	20 - 120W
<b>Sensitivity</b>	86dB	88dB	87dB
<b>Impedance</b>	6ohm	6ohm	6ohm
<b>Frequency Response</b>	42Hz - 40kHz	42Hz - 40kHz	44Hz - 40kHz
<b>Dimensions (H x W x D)</b>	23 x 14.5 x 21.4 cm	18 x 52 x 19 cm	26 x 17 x 15 cm
<b>Net Weight</b>	8.1 kg / pair	5.9 kg / pc	6.6 kg / pair
<b>Finishes</b>	Paint colors: High gloss black, High gloss white, Matt black Vinyl colors: Black, Walnut, Wenge		